



**sandweiss, 3000K CALA - 6W IP43 36°
600mA**
Article nr.: 42061

für die Innenanwendung, IP43 · · Gehäuse: Aluminium-Druckguss (Schutzglas, klar) · Gehäusefarbe: sandweiß · nicht schwenkbar · Ausstrahlwinkel: 36° · Leistung: 6 W · Lichtfarbe: 3000 K · Lichtstrom: 605 lm · CRI: >80 · Lebensdauer L70B50: >= 50.000 h · Betriebsstrom: 600 mA DC · Schutzklasse III · · Einbautiefe: 83 mm · Deckenausschnitt: 65 mm · Außendurchmesser: 78 mm · Energieeffizienzklasse: F · exklusive Konstantstrom-Konverter · · SECONDLIFE ARTIKEL -stark rabattiert- Nur solange der Vorrat reicht! · <https://rutec.de/secondlife>

TECHNICAL DATA

Unit Code	Stück
BAR code	4012094420615
Housing colour	Weiss
Height	53.00 mm
Outer diameter	78 mm
Hole size	65 mm
Depth in ceiling	83.00 mm
LED colour	ca. 3000K warmweiß
Lightoutput per fixture	605.00 lm
Lamp	Inklusive LED





sandweiss, 3000K CALA - 6W IP43 36°
600mA
Article nr.: 42061

TECHNICAL DATA

IP rating	43
Power	6 W
Current mA	600 mA
Lamp base	ohne
Amount of LED	1
Material	Aluminium
Temperature range	-20 - 40
Energy efficiency class	EEK-Label_F
CRI	≥ 80
Lifetime L70B50	50.000 h





sandweiss, 3000K CALA - 6W IP43 36°
600mA
Article nr.: 42061

TECHNICAL DRAWING



Ø 65 mm

