



sandweiss, 4000K CALA - 14W IP43 36° 350mA

Article nr.: 46141

für die Innenanwendung, IP43 · · Gehäuse: Aluminium-Druckguss (Schutzglas, klar) · Gehäusefarbe: sandweiß · nicht schwenkbar · Ausstrahlwinkel: 36° · Leistung: 14 W · Lichtfarbe: 4000 K · Lichtstrom: 1464 lm · CRI: >80 · Lebensdauer L70B50: >= 50.000 h · Betriebsstrom: 350 mA DC · Schutzklasse III · · Einbautiefe: 110 mm · Deckenausschnitt: 105 mm · Außendurchmesser: 116 mm · Energieeffizienzklasse: E · exklusive Konstantstrom-Konverter · · SECONDLIFE ARTIKEL -stark rabattiert- Nur solange der Vorrat reicht! · <https://rutec.de/secondlife>

TECHNICAL DATA

Unit Code	Stück
BAR code	4012094461410
Housing colour	Sandweiß
Height	80.00 mm
Outer diameter	116 mm
Hole size	105 mm
Depth in ceiling	110.00 mm
LED colour	ca. 4000K neutralweiß
Lightoutput per fixture	1464.00 lm
Lamp	Inklusive LED





sandweiss, 4000K CALA - 14W IP43 36° 350mA

Article nr.: 46141

TECHNICAL DATA


IP rating	43
Power	14 W
Current mA	350 mA
Lamp base	ohne
Amount of LED	1
Material	Aluminium
Temperature range	-20 - 40
Energy efficiency class	EEK-Label_E
CRI	≥ 80
Lifetime L70B50	50.000 h






sandweiss, 4000K CALA - 14W IP43 36°
350mA
Article nr.: 46141

TECHNICAL DRAWING



Ø 105 mm



Ø 116 mm