



für VARDAflex LED-Strips Einspeisung Gapless Einfarbig 8mm IP20

Article nr.: 70324

LxBxH in mm: 15,6 x 9,6 x 3,3 · Zuleitung 150 mm (2 x 0,5 qmm) · Material: Polycarbonat · Passend für folgende LED Strips: · VARDAflex COB Plus: 86332, 86335, 86337, 86338 · VARDAflex COB R-to-R Plus, 84335, 84337, 84338 · VARDAflex Eco: 82414, 82415, 82417, 82418 · VARDAflex Eco Plus: 82434, 82435, 82437, 82438, 82474, 82475, 82477, 82478 · VARDAflex Nova Eco Plus: 82763, 82765, 82768 · VARDAflex Nova Double: 79872 · VARDAflex Standard: 84315, 84317 · VARDAflex COB Free-Cut: 84365, 84367, 84368 · Nur an Verbindungsstellen zu verwenden wo kein Lötzinn an den Kontakten · vorhanden ist. · max. Strombelastbarkeit: 3,5 A (12V/42W, 24V/84W)

TECHNICAL DATA

Unit Code	Stück
BAR code	4012094703244
Housing colour	farblos
Length	15.60 mm
Width	9.60 mm
Height	3.30 mm
Lamp	Ohne
IP rating	20
Current mA	3500 mA
Voltage	3-24 V





für VARDAflex LED-Strips Einspeisung
Gapless Einfarbig 8mm IP20
Article nr.: 70324

TECHNICAL DATA

Material

Kunststoff

Temperature range

-10 - 45





für VARDAflex LED-Strips Einspeisung
Gapless Einfarbig 8mm IP20
Article nr.: 70324

TECHNICAL DRAWING

