



## VARDAflex Energy - 5M-Rolle


**Flex.LEDStrip, 24V, 4, 4W/m., Innen,  
2700K CRI80**

Article nr.: 79467

mit selbstklebender Rückseite, · für die Innenanwendung, IP20 · · alle 100 mm / 9 LEDs teilbar ·  
Anzahl der LEDs: 450 · LED Abstand: 11,11 mm · Ausstrahlwinkel: 120° · CRI: >80 · Lichtstrom pro  
Meter: 726 lm · Betriebsspannung: 24V DC · Leistung pro Meter: 4,4 W · Lebensdauer L70B50: >=  
54.000 h · Energieeffizienzklasse: C · LxBxH in mm: 5.000 x 10 x 1,4 · · Maximale Länge pro Anschluss:  
5 Meter. Für größere Längen neu einspeisen. · Lieferumfang: 5 Meter-Rolle mit 300 mm  
Anschlussleitung

### TECHNICAL DATA

|                         |                          |
|-------------------------|--------------------------|
| Unit Code               | Stück                    |
| BAR code                | 4012094794679            |
| Housing colour          | Weiss                    |
| Length                  | 5000.00 mm               |
| Width                   | 10.00 mm                 |
| Height                  | 1.40 mm                  |
| LED colour              | ca. 2700K ultra warmweiß |
| Lightoutput per fixture | 3630.00 lm               |
| Lightoutput per LED     | 8.07 lm                  |
| Lamp                    | Inklusive LED            |






## VARDAflex Energy - 5M-Rolle

**Flex.LEDStrip, 24V, 4, 4W/m., Innen,  
2700K CRI80**

Article nr.: 79467

### TECHNICAL DATA

|                         |             |
|-------------------------|-------------|
| IP rating               | 20          |
| Power                   | 22 W        |
| Psb                     | 0,00 W      |
| Current mA              | 916 mA      |
| Voltage                 | 24 V        |
| Amount of LED           | 450         |
| Temperature range       | -20 - 45    |
| LED per meter           | 90          |
| Dimension of segments   | 100.00 mm   |
| Energy efficiency class | EEK-Label_C |
| CRI                     | ≥ 80        |
| Lifetime L70B50         | 54.000 h    |
| Lifetime L90B10         | 39.000 h    |





## VARDAflex Energy - 5M-Rolle

**Flex.LEDStrip, 24V, 4, 4W/m., Innen,  
2700K CRI80**

Article nr.: 79467

### TECHNICAL DRAWING

