




**220V-240V 50/60Hz CRI80 Scheibe
matt SANYA AC-V2 RUND Eisen. 5,
5WIP40 2700K**

Article nr.: ALU46355UWW

for indoor use, IP40 · Housing: diecast aluminum (plastic protection plate, diffuse) · Housing colour: iron-brushed · swivel · Beam angle: 95° · Power: 5.5 W · Light colour: 2700 K · Luminous flux: 400 lm · CRI: >80 · Lifespan L70: >= 50.000 h · Input voltage: 230 V AC, 50 / 60 Hz · protection class I · Installation depth: 45 mm · Ceiling cut-out: 68 mm · Outer diameter: 83 mm · not dimmable

TECHNICAL DATA

Unit Code	pcs
BAR code	4012094563558
Housing colour	Eisen-gebürstet
Height	34.50 mm
Outer diameter	83 mm
Hole size	68 mm
Depth in ceiling	45.00 mm
LED colour	ca. 2700K ultra warmweiß
Lightoutput per fixture	400.00 lm
Lamp	Inklusive LED





**220V-240V 50/60Hz CRI80 Scheibe
matt SANYA AC-V2 RUND Eisen. 5,
5WIP40 2700K**

Article nr.: ALU46355UWW

TECHNICAL DATA

IP rating	40
Power	5,5 W
Current mA	24 mA
Voltage	230 V
Lamp base	ohne
Material	Aluminium
Temperature range	-20 - 50
CRI	≥ 80
Lifetime L70B50	50.000 h





**220V-240V 50/60Hz CRI80 Scheibe
matt SANYA AC-V2 RUND Eisen. 5,
5WIP40 2700K**

Article nr.: ALU46355UWW

TECHNICAL DRAWING




image not found or type unknown