rutec Licht GmbH & Co. KG | Carl-Zeiss-Str. 15 | 28857 Syke
TEL +49 (0) 42 42 95 65 - 0 | FAX +49 (0) 42 42 95 65 - 25 | E-MAIL INFO@RUTEC.DE | WWW.RUTEC.DE



sandweiss, 3000K CALA - 10W IP43 36° 250mA

Article nr.: 42101

for indoor use, IP43 · · Housing: diecast aluminum (glass protection, transparent) · Housing colour: sandwhite · not swivelling · Beam angle: 36° · Power: 10 W · Light colour: 3000 K · Light flux: 1007 lm · CRI: >80 · Lifespan L70B50: >= 50.000 h · Input current: 250 mA DC · protection class III · · Installation depth: 90 mm · Ceiling cut-out: 81 mm · Outer diameter: 98 mm · Energie efficiency class: F · not including LED converter

TECHNICAL DATA

Unit Code	pcs
BAR code	4012094421018
Housing colour	Sandweiß
Height	60.00 mm
Outer diameter	98 mm
Hole size	81 mm
Depth in ceiling	90.00 mm
LED colour	ca. 3000K warmweiß
Lightoutput per fixture	1007.00 lm
Lamp	Inklusive LED



rutec Licht GmbH & Co. KG | Carl-Zeiss-Str. 15 | 28857 Syke
TEL +49 (0) 42 42 95 65 - 0 | FAX +49 (0) 42 42 95 65 - 25 | E-MAIL INFO@RUTEC.DE | WWW.RUTEC.DE



sandweiss, 3000K CALA - 10W IP43 36° 250mA

Article nr.: 42101

TECHNICAL DATA

IP rating	43
Power	10 W
Current mA	250 mA
Lamp base	ohne
Amount of LED	1
Material	Aluminium
Temperature range	-20 - 40
Energy ffficiency class	EEK-Label_F
CRI	≥ 80
Lifetime L70B50	50.000 h



rutec Licht GmbH & Co. KG | Carl-Zeiss-Str. 15 | 28857 Syke
TEL +49 (0) 42 42 95 65 - 0 | FAX +49 (0) 42 42 95 65 - 25 | E-MAIL INFO@RUTEC.DE | WWW.RUTEC.DE



sandweiss, 3000K CALA - 10W IP43 36° 250mA

Article nr.: 42101

TECHNICAL DRAWING

