



VARDAflexIP68 - 5 Meter Rolle 12V Flex.LED im Schlauch, IP68, RGB

Article nr.: 88566

Flexible LED Strips in Silicone Tubing · for Indoor and Outdoor Use · · For Indoor and Outdoor Use · RGB
12 Volt: Separable Every 100 mm or 3 LEDs · LED Distance: RGB: 33.33 mm (150 LED) · Easy
Installation with Solder-less Plug Connections. · Maximum Length per Connection: 10 meter · New
Connectors for Greater Lengths. · Delivery Contents: 5 Meter Roll, 5 Power Supply Connector, 1 Direct
· Connector, 1 Connection Tubing, 30 Mounting · Brackets, 2 End Caps, 2 Power Supply Connector
Caps · Sorted and Stored by Binning Code

TECHNICAL DATA

Unit Code	pcs
BAR code	4012094885667
Length	5000.00 mm
Width	13.00 mm
Height	4.00 mm
LED colour	RGB
Lightoutput per fixture	850.00 lm
Lightoutput per LED	5.67 lm
Lamp	Inklusive LED
IP rating	68






VARDAflexIP68 - 5 Meter Rolle 12V

Flex.LED im Schlauch, IP68, RGB

Article nr.: 88566

TECHNICAL DATA

Power	36 W
Current mA	3.000 mA
Voltage	12 V
Amount of LED	150
Material	Kunststoff
Temperature range	-20 - 45
LED per meter	30
Dimension of segments	100.00 mm
Lifetime L70B50	67.000 h
Lifetime L90B10	35.000 h





VARDAflexIP68 - 5 Meter Rolle 12V
Flex.LED im Schlauch, IP68, RGB
Article nr.: 88566

TECHNICAL DRAWING

