




VARDAflex Nova Triple bronze 5M Flex.LEDStrip, 24V, Innen, 2200K CRI90

Article nr.: 79882

flexible LED Strip with self adhesive backside, · for indoor use. · can be separated every 20 mm or 6 LEDs · number of LEDs: 1500 · LED pitch: 3.33 mm · beam angle: 120° · CRI: >90 · lumen per meter: 1830 lm · voltage: 24V DC · power per meter: 24 W · lifetime L70: >= 36.000 h · LxWxH in mm: 5.000 x 10 x 1.2 · Caution: Do not operate strip without aluminium profile · and adequate ventilation. · Maximum length per connection: 5 meter. New connectors for greater length. · Delivery contents: 5 meter roll

TECHNICAL DATA

Unit Code	pcs
BAR code	4012094798820
Housing colour	Weiss
Length	5000.00 mm
Width	10.00 mm
Height	1.20 mm
LED colour	ca. 2200K bronze
Lightoutput per fixture	9150.00 lm
Lightoutput per LED	6.10 lm
Lamp	Inklusive LED






VARDAflex Nova Triple bronze 5M

Flex.LEDStrip, 24V, Innen, 2200K CRI90

Article nr.: 79882

TECHNICAL DATA

IP rating	20
Power	120 W
Current mA	5.000 mA
Voltage	24 V
Amount of LED	1500
Temperature range	-20 - 45
LED per meter	300
Dimension of segments	20.00 mm
CRI	≥ 90
Lifetime L70B50	36.000 h





VARDAflex Nova Triple bronze 5M
Flex.LEDStrip, 24V, Innen, 2200K CRI90
Article nr.: 79882

TECHNICAL DRAWING

5000 x 10 x 1.2 mm