rutec Licht GmbH & Co. KG | Carl-Zeiss-Str. 15 | 28857 Syke
TEL +49 (0) 42 42 95 65 - 0 | FAX +49 (0) 42 42 95 65 - 25 | E-MAIL INFO@RUTEC.DE | WWW.RUTEC.DE



100-240V AC Schraubanschluss Netzgerät 24V 150W IP20

Article nr.: 85278

rutec power supply, constant voltage · for indoor use, IP20 · with screw connection and strain relief · CE, REACH, RoHS, MM, SELV, active PFC · protection against short circuit, over current, over voltage and over temperature · cable cross-section connection terminals: 0.75 - 1.5 sq mm · housing: plastic · input voltage: 100-240 V AC · power: 150 W · output current: 6.25 A · output voltage: 24 V DC · LxWxH in mm: 204 x 53.5 x 30 · temperature range: -20 to +45 °C · not dimmable on primary side

TECHNICAL DATA

Unit Code	pcs
BAR code	4012094852782
Housing colour	Blau
Length	204.00 mm
Width	53.50 mm
Height	30.00 mm
Lamp	Ohne
IP rating	20
Power	150 W
Psb	0,00 W

rutec Licht GmbH & Co. KG | Carl-Zeiss-Str. 15 | 28857 Syke
TEL +49 (0) 42 42 95 65 - 0 | FAX +49 (0) 42 42 95 65 - 25 | E-MAIL INFO@RUTEC.DE | WWW.RUTEC.DE



100-240V AC Schraubanschluss Netzgerät 24V 150W IP20

Article nr.: 85278

TECHNICAL DATA

Pno	0,24 W
Current mA	6.250 mA
Voltage	24 V
Input voltage	100-240
Output voltage	24
Material	Kunststoff
Tollerance	5.00
Temperature range	-20 - 45
Suitable light source	LED



rutec Licht GmbH & Co. KG | Carl-Zeiss-Str. 15 | 28857 Syke
TEL +49 (0) 42 42 95 65 - 0 | FAX +49 (0) 42 42 95 65 - 25 | E-MAIL INFO@RUTEC.DE | WWW.RUTEC.DE



100-240V AC Schraubanschluss Netzgerät 24V 150W IP20

Article nr.: 85278

TECHNICAL DRAWING

