




WITH PFC ACTIV 100-240V AC LED- Netzgerät 24V 600W IP67

Article nr.: 85458

rutech LED power supply, constant voltage · for indoor and outdoor use, IP67 · built-in active power factor correction (active PFC) · protection class I, SELV, MM, CE, REACH, RoHS · protection against short circuit, overload and overtemperature · primary sided 1 input and secondary sided 2 output line · housing: aluminum · input voltage: 100-240V AC · power: 600 watt · output current: 25 A · output voltage: 24 Volt · LxWxH in mm: 300 x 138 x 47 · temperature range: -30 to +50°C · not dimmable on primary side

TECHNICAL DATA

Unit Code	pcs
BAR code	4012094854588
Housing colour	Aluminium
Length	300.00 mm
Width	138.00 mm
Height	47.00 mm
Lamp	Ohne
IP rating	67
Power	600 W
Psb	0,00 W






WITH PFC ACTIV 100-240V AC LED- Netzgerät 24V 600W IP67

Article nr.: 85458

TECHNICAL DATA

Pno	0,45 W
Current mA	25.000 mA
Input voltage	100-240
Output voltage	24
Material	Aluminium
Tollerance	5.00
Temperature range	-30 - 50
Suitable light source	LED





**WITH PFC ACTIV 100-240V AC LED-
Netzgerät 24V 600W IP67**
Article nr.: 85458

TECHNICAL DRAWING

