




DALI-2 DT6 für 12/24V mehrfarbig DALI-2 Push Dimm-Aktor DC

Article nr.: 80705-V2

LED DALI-2 dimming actuator · with smooth dimming curve · 1-4 addresses 1-4 channels · DALI address manually adjustable · and visible via digital display · automatically addressable by the master · according to DALI standard protocol IEC62386 · with push-dim function · IP20 · Device Type: DT6 · dimming range 0,1 – 100% linear dimming curve · protection class III CE ROHS REACH · protection against short circuit, overtemperature and overload · input: 12 V DC-24 V DC · output: 12 V DC-24 V DC · power: 4 x 60W (12 V DC), 4 x 120W (24 V DC) · LxWxH in mm: 166 x 53.4 x 23 · temperature range: -20°C to + 50°C

TECHNICAL DATA

Unit Code	pcs
BAR code	4012094808055
Housing colour	Blau
Length	166.00 mm
Width	53.40 mm
Height	23.00 mm
Lamp	Ohne
IP rating	20
Power	240-480 W
Current mA	20.000 mA






DALI-2 DT6 für 12/24V mehrfarbig DALI-2 Push Dimm-Aktor DC

Article nr.: 80705-V2

TECHNICAL DATA

Input voltage	12-24
Output voltage	12-24
Material	Kunststoff
Efficiency	98.00
Temperature range	-20 - 50





DALI-2 DT6 für 12/24V mehrfarbig DALI-2 Push Dimm-Aktor DC

Article nr.: 80705-V2

TECHNICAL DRAWING

