rutec Licht GmbH & Co. KG | Carl-Zeiss-Str. 15 | 28857 Syke
TEL +49 (0) 42 42 95 65 - 0 | FAX +49 (0) 42 42 95 65 - 25 | E-MAIL INFO@RUTEC.DE | WWW.RUTEC.DE



Glas - schwarz AC-Funk Touchpanel 4 ZONEN RGBW

Article nr.: 80540

Radio touch panel, 4 zones RGBW, including power supply for 230 V AC connection · for indoor use · Material: plastic/glass, black · IP20 · Protection class II, CE, RoHS · Voltage: 100 - 230 V AC, 50 Hz · Standby power: 1.2 W · Transmission power: max. 1.5 W · Remote control range: 30 metres with cler view · Carrier frequency: 868 MHz · Maximum cable cross-section at terminal: 1.5 sq mm · Control up to 4 zones independently · highly sensitive touch colour wheel · quick, precise colour control · Selection of 10 different preprogrammed colour gradients · dimming and switching of single and mixed colors · per zone: 4 memory functions for colour scene or - sequence · storable up to 8 touch panels per radio receiver · (excecpt for 80460/80560)

TECHNICAL DATA

Unit Code	pcs
BAR code	4012094805405
Housing colour	Schwarz
Length	86.00 mm
Width	86.00 mm
Height	42.00 mm
Hole size	55 mm
Depth in ceiling	34.00 mm
Lamp	without
IP rating	20

rutec Licht GmbH & Co. KG | Carl-Zeiss-Str. 15 | 28857 Syke
TEL +49 (0) 42 42 95 65 - 0 | FAX +49 (0) 42 42 95 65 - 25 | E-MAIL INFO@RUTEC.DE | WWW.RUTEC.DE



Glas - schwarz AC-Funk Touchpanel 4 ZONEN RGBW

Article nr.: 80540

TECHNICAL DATA

Power	2 W
Input voltage	100-240
Material	Glas
Temperature range	-20 - 50
Suitable light source	

rutec Licht GmbH & Co. KG | Carl-Zeiss-Str. 15 | 28857 Syke
TEL +49 (0) 42 42 95 65 - 0 | FAX +49 (0) 42 42 95 65 - 25 | E-MAIL INFO@RUTEC.DE | WWW.RUTEC.DE



Glas - schwarz AC-Funk Touchpanel 4 ZONEN RGBW

Article nr.: 80540

TECHNICAL DRAWING



