rutec Licht GmbH & Co. KG | Carl-Zeiss-Str. 15 | 28857 Syke
TEL +49 (0) 42 42 95 65 - 0 | FAX +49 (0) 42 42 95 65 - 25 | E-MAIL INFO@RUTEC.DE | WWW.RUTEC.DE

basalt/zinnober geb., IP20, ED68mm

Einbauring MixMi, schwenkb., rund, Alu, Clip

Article nr.: ALU10215

MixMi recessed spotlight series · recessed ring and reflector available in 11 different colors that can be · flexibly combined (121 possibilities) · recessed ring color: brushed basalt gray (anodized) · reflector color: brushed vermilion (anodized) · die-cast aluminum recessed spotlight with recessed light source for a glare-free light pattern · without snap ring, 15° swivel range · for 50 mm light bulb (MR16) · for indoor use, IP20 · light bulb can be changed by removing the reflector · installation diameter: 68 mm · outer diameter: 82 mm · light bulb not included

TECHNICAL DATA

Unit Code	pcs
BAR code	4012094102153
Housing colour	Grau
Height	24.50 mm
Outer diameter	82 mm
Hole size	68 mm
Depth in ceiling	22.00 mm
Lamp	without
IP rating	20
Lamp base	ohne

rutec Licht GmbH & Co. KG | Carl-Zeiss-Str. 15 | 28857 Syke

TEL +49 (0) 42 42 95 65 - 0 | FAX +49 (0) 42 42 95 65 - 25 | E-MAIL INFO@RUTEC.DE | WWW.RUTEC.DE



basalt/zinnober geb., IP20, ED68mm

Einbauring MixMi, schwenkb., rund, Alu, Clip

Article nr.: ALU10215

TECHNICAL DATA

Amount of LED	1
Material	Aluminium
Suitable light source	

rutec Licht GmbH & Co. KG | Carl-Zeiss-Str. 15 | 28857 Syke
TEL +49 (0) 42 42 95 65 - 0 | FAX +49 (0) 42 42 95 65 - 25 | E-MAIL INFO@RUTEC.DE | WWW.RUTEC.DE

basalt/zinnober geb., IP20, ED68mm

Einbauring MixMi, schwenkb., rund, Alu, Clip

Article nr.: ALU10215

TECHNICAL DRAWING