




zinnobber/zinnobber geb., IP20, ED68mm Einbauring MixMi, schwenkb., rund, Alu, Clip

Article nr.: ALU15215

MixMi recessed spotlight series · recessed ring and reflector available in 11 different colors that can be · flexibly combined (121 possibilities) · recessed ring color: brushed vermilion (anodized) · reflector color: brushed vermilion (anodized) · die-cast aluminum recessed spotlight with recessed light source for a glare-free light pattern · without snap ring, 15° swivel range · for 50 mm light bulb (MR16) · for indoor use, IP20 · light bulb can be changed by removing the reflector · installation diameter: 68 mm · outer diameter: 82 mm · light bulb not included

TECHNICAL DATA

Unit Code	pcs
BAR code	4012094152158
Housing colour	Rot
Height	24.50 mm
Outer diameter	82 mm
Hole size	68 mm
Depth in ceiling	22.00 mm
Lamp	without
IP rating	20
Lamp base	ohne






zinnober/zinnober geb., IP20, ED68mm
Einbauring MixMi, schwenkb., rund, Alu,
Clip

Article nr.: ALU15215

TECHNICAL DATA

Amount of LED	1
Material	Aluminium
Suitable light source	





**zinnober/zinnober geb., IP20, ED68mm
Einbauring MixMi, schwenkb., rund, Alu,
Clip**

Article nr.: ALU15215

TECHNICAL DRAWING

