rutec Licht GmbH & Co. KG | Carl-Zeiss-Str. 15 | 28857 Syke
TEL +49 (0) 42 42 95 65 - 0 | FAX +49 (0) 42 42 95 65 - 25 | E-MAIL INFO@RUTEC.DE | WWW.RUTEC.DE



starr - chrom - for JC Druckguss Einbaustr.IP43

Article nr.: R55904

Item No. R5590+Color Code · Fixed, IP43, for Pin Base · For Indoor Use, Usable In Moist Rooms · Aluminum Die Casting Downlight · Inner Shade Bayonet Clamp is Removable for Light Bulb Replacement. IP43 · Protection for Installation in Ceilings. · Including Base GY 6.35 Excluding: Light Bulb · SECONDLIFE ITEM -heavily discounted- only while stocks last!

TECHNICAL DATA

Unit Code	pcs
BAR code	4012094559049
Housing colour	Chrom
Outer diameter	119 mm
Hole size	102 mm
Depth in ceiling	85.00 mm
Lamp	without
IP rating	43
Power	1-50 W
Lamp base	GY6,35

rutec Licht GmbH & Co. KG | Carl-Zeiss-Str. 15 | 28857 Syke
TEL +49 (0) 42 42 95 65 - 0 | FAX +49 (0) 42 42 95 65 - 25 | E-MAIL INFO@RUTEC.DE | WWW.RUTEC.DE



starr - chrom - for JC Druckguss Einbaustr.IP43

Article nr.: R55904

TECHNICAL DATA

Amount of LED	1
Material	Aluminium
Temperature range	to 70
Suitable light source	

rutec Licht GmbH & Co. KG | Carl-Zeiss-Str. 15 | 28857 Syke
TEL +49 (0) 42 42 95 65 - 0 | FAX +49 (0) 42 42 95 65 - 25 | E-MAIL INFO@RUTEC.DE | WWW.RUTEC.DE



starr - chrom - for JC Druckguss Einbaustr.IP43

Article nr.: R55904

TECHNICAL DRAWING

