



**schwenkbar 1, 4401 X5CrNiMo 316
Tulka Edelstahl V4A mit Clipverschl. ws**
Article nr.: R5558-1

Item No. R5558-1 · Adjustable, Without Snap- · Ring for \varnothing 50 mm Light Bulb · · Indoor and Outdoor Use Also Usable for Installation In Concrete Ceilings and · Other Thermally Difficult Mounting Locations. As Well As for Use In Moist Rooms · and Suitable for Sea Air Areas · V4A-Stainless Steel- Downlight · Light Bulb Replacement: Adjustable Panel Removable (Clip Fastener) · Excluding: Light Bulb · without low-voltage socket item no.: 55004 (SKIII) · without high-voltage socket + strain relief item no.: 54995 (SKII)

TECHNICAL DATA

Unit Code	pcs
BAR code	4012094555812
Housing colour	Weiss
Outer diameter	82 mm
Hole size	68 mm
Lamp	Ohne
IP rating	20
Power	1-50 W
Lamp base	ohne
Amount of LED	1





schwenkbar 1, 4401 X5CrNiMo 316
Tulka Edelstahl V4A mit Clipverschl. ws
Article nr.: R5558-1

TECHNICAL DATA

Material	Edelstahl
Temperature range	-20 - 100
EEK	A++ to E





schwenkbar 1, 4401 X5CrNiMo 316
Tulka Edelstahl V4A mit Clipverschl. ws
Article nr.: R5558-1

TECHNICAL DRAWING

