rutec Licht GmbH & Co. KG | Carl-Zeiss-Str. 15 | 28857 Syke
TEL +49 (0) 42 42 95 65 - 0 | FAX +49 (0) 42 42 95 65 - 25 | E-MAIL INFO@RUTEC.DE | WWW.RUTEC.DE



starr 1, 4401 X5CrNiMo 316 MR11 Tulka Edelst.V4Am.Clipver.Eckig IP55 ws

Article nr.: R5563-1

Fixed, Without Snap-Ring, IP55 V4A stainless steel, white · Round for ø 35 mm Light Bulb · Indoor and Outdoor Use Also Usable for Installation In Concrete Ceilings and · Other Thermally Difficult Mounting Locations. As Well As for Use In Moist Rooms · and Suitable for Sea Air Areas. · Housing and Cover Ring Made Out of V4A Stainless Steel. · Light Bulb Replacement By Removing the Inner Ring (Clip Fastener). · Tempered Clear Glass with IP55 Protection for Installation in Ceilings. · Excluding: Light Bulb · without low-voltage socket art.-no .: 55004 (SKIII)

TECHNICAL DATA

Unit Code	pcs
BAR code	4012094556314
Housing colour	Weiss
Length	63.00 mm
Width	63.00 mm
Height	27.00 mm
Hole size	45 mm
Lamp	Ohne
IP rating	55
Power	1-35 W

rutec Licht GmbH & Co. KG | Carl-Zeiss-Str. 15 | 28857 Syke
TEL +49 (0) 42 42 95 65 - 0 | FAX +49 (0) 42 42 95 65 - 25 | E-MAIL INFO@RUTEC.DE | WWW.RUTEC.DE



starr 1, 4401 X5CrNiMo 316 MR11 Tulka Edelst.V4Am.Clipver.Eckig IP55 ws

Article nr.: R5563-1

TECHNICAL DATA

Lamp base	ohne
Amount of LED	1
Material	Edelstahl
Temperature range	-20 - 100

rutec Licht GmbH & Co. KG | Carl-Zeiss-Str. 15 | 28857 Syke
TEL +49 (0) 42 42 95 65 - 0 | FAX +49 (0) 42 42 95 65 - 25 | E-MAIL INFO@RUTEC.DE | WWW.RUTEC.DE



starr 1, 4401 X5CrNiMo 316 MR11 Tulka Edelst.V4Am.Clipver.Eckig IP55 ws

Article nr.: R5563-1

TECHNICAL DRAWING

