**rutec Licht GmbH & Co. KG** | Carl-Zeiss-Str. 15 | 28857 Syke
TEL +49 (0) 42 42 95 65 - 0 | FAX +49 (0) 42 42 95 65 - 25 | E-MAIL INFO@RUTEC.DE | WWW.RUTEC.DE



# starr 1, 4401 X5CrNiMo 316 MR16 Tulka Edelst.V4Am.Clipver.Eckig IP55

Article nr.: R5566-V4A

Fixed, Without Snap-Ring, IP55 V4A stainless steel, · square for 50 m m Light Bulb · · Indoor and Outdoor Use Also Usable for Installation In Concrete Ceilings and · Other Thermally Difficult Mounting Locations. As Well As for Use In Moist Rooms · and Suitable for Sea Air Areas. · Housing and Cover Ring Made Out of V4A Stainless Steel. · Light Bulb Replacement By Removing the Inner Ring (Clip Fastener). · Tempered Clear Glass with IP55 Protection for Installation in Ceilings. · Excluding: Light Bulb · without low-voltage socket art.-no .: 55004 (SKIII) · without high-voltage version + strain relief item no .: 54995 (SKII)

## TECHNICAL DATA

| | |
|---|---|
| Unit Code | pcs |
| BAR code | 4012094556604 |
| Housing colour | Edelstahl |
| Length | 82.00 mm |
| Width | 82.00 mm |
| Hole size | 68 mm |
| Lamp | without |
| IP rating | 55 |
| Power | 1-20 W |
| Lamp base | ohne |

**rutec Licht GmbH & Co. KG** | Carl-Zeiss-Str. 15 | 28857 Syke
TEL +49 (0) 42 42 95 65 - 0 | FAX +49 (0) 42 42 95 65 - 25 | E-MAIL INFO@RUTEC.DE | WWW.RUTEC.DE



# starr 1, 4401 X5CrNiMo 316 MR16 Tulka Edelst.V4Am.Clipver.Eckig IP55

Article nr.: R5566-V4A

## TECHNICAL DATA

| | |
|---|---|
| Amount of LED | 1 |
| Material | Edelstahl |
| Temperature range | -20 - 100 |
| Suitable light source | |

**rutec Licht GmbH & Co. KG** | Carl-Zeiss-Str. 15 | 28857 Syke
TEL +49 (0) 42 42 95 65 - 0 | FAX +49 (0) 42 42 95 65 - 25 | E-MAIL INFO@RUTEC.DE | WWW.RUTEC.DE



# starr 1, 4401 X5CrNiMo 316 MR16 Tulka Edelst.V4Am.Clipver.Eckig IP55

Article nr.: R5566-V4A

## TECHNICAL DRAWING

