




**starr 1, 4401 X5CrNiMo 316 MR16 Tulka
Edelst.V4Am.Clipver.Eckig IP55**

Article nr.: R5566-V4A

Fixed, Without Snap-Ring, IP55 V4A stainless steel, · square for \varnothing 50 m m Light Bulb · · Indoor and Outdoor Use Also Usable for Installation In Concrete Ceilings and · Other Thermally Difficult Mounting Locations. As Well As for Use In Moist Rooms · and Suitable for Sea Air Areas. · Housing and Cover Ring Made Out of V4A Stainless Steel. · Light Bulb Replacement By Removing the Inner Ring (Clip Fastener). · Tempered Clear Glass with IP55 Protection for Installation in Ceilings. · Excluding: Light Bulb · without low-voltage socket art.-no .: 55004 (SKIII) · without high-voltage version + strain relief item no .: 54995 (SKII)

TECHNICAL DATA

Unit Code	pcs
BAR code	4012094556604
Housing colour	Edelstahl
Length	82.00 mm
Width	82.00 mm
Hole size	68 mm
Lamp	Ohne
IP rating	55
Power	1-20 W
Lamp base	ohne






**starr 1, 4401 X5CrNiMo 316 MR16 Tulka
Edelst.V4Am.Clipver.Eckig IP55**

Article nr.: R5566-V4A

TECHNICAL DATA

Amount of LED	1
Material	Edelstahl
Temperature range	-20 - 100





**starr 1, 4401 X5CrNiMo 316 MR16 Tulka
Edelst.V4Am.Clipver.Eckig IP55**

Article nr.: R5566-V4A

TECHNICAL DRAWING

