

Zubehör CYRA+ DALI-2 LC27MINI-DA-150-700, mit Stecker

Article nr.: 21970

DALI-2 push dimming actuator AC · 1 address 1 channel single colour · DALI address automatically addressable from · DALI master controller (e.g. gateway) · According to DALI standard protocol IEC62386-101:2014, IEC62386-102:2014, IEC62386-207 Ed2 · suitable for commercially available DALI devices · DALI-2 or push dim function · for indoor use, IP20 · input voltage: 220-240 V AC 50/60 Hz, 198-254 V DC · Output current (150-700 mA) adjustable via dip-switch in 50 mA steps · power: 1.4-26.3 watts depending on output current (see manual) · device type: DT6 · protection class II, CE, ROHS · protection against short circuit, overload and overtemperature · dimming range: 1-100 % amplitude dimming, flicker free · dimming curve: linear · temperature range: -20 °C to +45 °C · LxWxH in mm: 225 x 56 x 30

TECHNICAL DATA

Unit Code	pcs
BAR code	4012094219707
Housing colour	Weiss
Length	225.00 mm
Width	56.00 mm
Height	30.00 mm
Lamp	without
IP rating	20
Power	1,4-26,3 W
Pno	





Zubehör CYRA+ DALI-2 LC27MINI-DA-150-700, mit Stecker

Article nr.: 21970


TECHNICAL DATA

Current mA	150-700 mA
Input voltage	220-240
Output voltage	9-52
Material	Kunststoff
Tolerance	5.00
Temperature range	-20 - 45
Suitable light source	LED



Equiv.
SELV





Zubehör CYRA+ DALI-2 LC27MINI-DA-150-700, mit Stecker
Article nr.: 21970

TECHNICAL DRAWING

