



Zubehör CYRA+ CC30W300-900CG DALI/1-10V

Article nr.: 21973

1-10V/DALI-2/push dimming actuator AC · 1 address 1 channel single colour · DALI address automatically addressable from · DALI master controller (e.g. gateway) · According to DALI standard protocol IEC62386-102, IEC62386-207 · suitable for commercially available DALI devices · 1-10V, DALI-2 or push dim function · for indoor use, IP20 · input voltage: 220-240 V AC 50/60 Hz · Output current (300-900 mA) adjustable via dip-switch in 50 mA steps · power: 2.7-30.6 watts depending on output current (see manual) · DALI device type: DT6 · protection class II, CE, ROHS · protection against short circuit, overload, overvoltage and overtemperature · dimming range: 0-100 % (push.dimming & DALI), 2-100% (1-10V) · temperature range: -25 °C to +50 °C · LxWxH in mm: 103 x 67 x 22

TECHNICAL DATA

Unit Code	pcs
BAR code	4012094219738
Housing colour	Weiss
Length	103.00 mm
Width	67.00 mm
Height	22.00 mm
Lamp	without
IP rating	20
Power	2,7-30,6 W
Pno	





Zubehör CYRA+ CC30W300-900CG DALI/1-10V

Article nr.: 21973

TECHNICAL DATA

Current mA	300-900 mA
Input voltage	220-240
Output voltage	9-58
Material	Kunststoff
Tolerance	5.00
Temperature range	-25 - 50
Suitable light source	LED





**Zubehör CYRA+ CC30W300-900CG
DALI/1-10V**

Article nr.: 21973

TECHNICAL DRAWING

