



sandweiss, 4000K CALA - 14W IP43 36° 350mA

Article nr.: 46141

for indoor use, IP43 · Housing: diecast aluminum (glass protection, transparent) · Housing colour: sandwhite · not swivelling · Beam angle: 36° · Power: 14 W · Light colour: 4000 K · Light flux: 1464 lm · CRI: >80 · Lifespan L70B50: >= 50.000 h · Input current: 350 mA DC · protection class III · Installation depth: 110 mm · Ceiling cut-out: 105 mm · Outer diameter: 116 mm · Energie efficiency class: E · not including LED converter · SECONDLIFE ITEM -heavily discounted- only while stocks last!

TECHNICAL DATA

Unit Code	pcs
BAR code	4012094461410
Housing colour	Sandweiß
Height	80.00 mm
Outer diameter	116 mm
Hole size	105 mm
Depth in ceiling	110.00 mm
LED colour	ca. 4000K neutralweiß
Lightoutput per fixture	1464.00 lm
Lamp	including LED





sandweiss, 4000K CALA - 14W IP43 36° 350mA

Article nr.: 46141

TECHNICAL DATA


IP rating	43
Power	14 W
Current mA	350 mA
Lamp base	ohne
Amount of LED	1
Material	Aluminium
Temperature range	-20 - 40
Energy efficiency class	EEK-Label_E
CRI	≥ 80
Lifetime L70B50	50.000 h
Suitable light source	






sandweiss, 4000K CALA - 14W IP43 36°
350mA
Article nr.: 46141

TECHNICAL DRAWING



Ø 105 mm



Ø 116 mm

110 mm