




220V-240V 50/60Hz Scheibe opal
4000K SILMA LED-EBS AC RUND WEISS
10W IP40

Article nr.: 48118

for indoor use, IP40 · housing: diecast aluminum (plastic protection cover, diffuse) · housing colour: white · not swivelling · beam angle: 102° · power: 10 W · light colour: 4000 K (100K) neutral white · luminous flux: 1024 lm · CRI: >80 · lifespan L70: >= 50.000 h · input: 220-240 V AC · protection class I · installation depth: 60 mm · ceiling cut-out: 140 mm · outer diameter: 165 mm · energie efficiency class: A+ · not dimmable · suitable for through wiring

TECHNICAL DATA

Unit Code	pcs
BAR code	4012094481180
Housing colour	Weiss
Height	52.00 mm
Outer diameter	165 mm
Hole size	140 mm
Depth in ceiling	60.00 mm
LED colour	ca. 4000K neutralweiß
Lightoutput per fixture	1024.00 lm
Lightoutput per LED	36.59 lm






220V-240V 50/60Hz Scheibe opal
4000K SILMA LED-EBS AC RUND WEISS
10W IP40

Article nr.: 48118

TECHNICAL DATA

Lamp	including LED
IP rating	40
Power	10 W
Voltage	220-240 V
Lamp base	ohne
Amount of LED	28
Material	Aluminium
Temperature range	-20 - 50
CRI	≥ 80
Suitable light source	





220V-240V 50/60Hz Scheibe opal
4000K SILMA LED-EBS AC RUND WEISS
10W IP40
Article nr.: 48118

TECHNICAL DRAWING

