




220V-240V 50/60Hz Scheibe opal
4000K SILMA LED-EBS AC RUND WEISS
20W IP40

Article nr.: 48128

for indoor use, IP40 · housing: diecast aluminum (plastic protection cover, diffuse) · housing colour: white · not swivelling · beam angle: 102° · power: 20 W · light colour: 4000 K (100K) neutral white · luminous flux: 2120 lm · CRI: >80 · lifespan L70: >= 50.000 h · input: 220-240 V AC · protection class I · Installation depth: 60 mm · Ceiling cut-out: 165 mm · Outer diameter: 195 mm · Energie efficiency class: A+ · not dimmable · suitable for through wiring

TECHNICAL DATA

Unit Code	pcs
BAR code	4012094481289
Housing colour	Weiss
Height	52.00 mm
Outer diameter	195 mm
Hole size	165 mm
Depth in ceiling	60.00 mm
LED colour	NW ca. 4000K
Lightoutput per fixture	2120.00 lm
Lightoutput per LED	37.85 lm






220V-240V 50/60Hz Scheibe opal
4000K SILMA LED-EBS AC RUND WEISS
20W IP40
Article nr.: 48128

TECHNICAL DATA

Lamp	Inklusive LED
IP rating	40
Power	20 W
Voltage	220-240 V
Lamp base	ohne
Amount of LED	56
Material	Aluminium
Temperature range	-20 - 50
Energy efficiency class	A+
CRI	≥ 80





220V-240V 50/60Hz Scheibe opal
4000K SILMA LED-EBS AC RUND WEISS
20W IP40
Article nr.: 48128

TECHNICAL DRAWING

