



 Secondlife-Shop


## Scheibe matt 3000K - Serie SILMA LED-EBS RUND WEISS 25W IP44 600mA

Article nr.: 48325

for indoor use, IP44 · · housing: diecast aluminum (plastic protection cover, diffuse) · housing colour: white · not swivelling · beam angle: 90° · power: 25 W · light colour: 3000 K ( 100K) warm white · luminous flux: 2654 lm · CRI: >80 · lifespan L70: >= 50.000 h · input: 600 mA DC · protection class III · · installation depth: 70 mm · ceiling cut-out: 200 mm · outer diameter: 220 mm · energy efficiency class: E · not including constant current converter (can only be operated with switchable converters) · · SECONDLIFE ITEM -heavily discounted- only while stocks last!

### TECHNICAL DATA

|                         |                    |
|-------------------------|--------------------|
| Unit Code               | pcs                |
| BAR code                | 4012094483252      |
| Housing colour          | Weiss              |
| Height                  | 60.00 mm           |
| Outer diameter          | 220 mm             |
| Hole size               | 200 mm             |
| Depth in ceiling        | 70.00 mm           |
| LED colour              | ca. 3000K warmweiß |
| Lightoutput per fixture | 2654.00 lm         |
| Lamp                    | including LED      |





 Secondlife-Shop

## Scheibe matt 3000K - Serie SILMA LED-EBS RUND WEISS 25W IP44 600mA

Article nr.: 48325

### TECHNICAL DATA

|                         |             |
|-------------------------|-------------|
| IP rating               | 44          |
| Power                   | 25 W        |
| Current mA              | 600 mA      |
| Lamp base               | ohne        |
| Material                | Aluminium   |
| Temperature range       | -20 - 50    |
| Energy efficiency class | EEK-Label_E |
| CRI                     | ≥ 80        |
| Suitable light source   |             |



Reihenschaltung  






 Secondlife-Shop

**Scheibe matt 3000K - Serie SILMA LED-  
EBS RUND WEISS 25W IP44 600mA**

Article nr.: 48325

**TECHNICAL DRAWING**

