**rutec Licht GmbH & Co. KG** | Carl-Zeiss-Str. 15 | 28857 Syke
TEL +49 (0) 42 42 95 65 - 0 | FAX +49 (0) 42 42 95 65 - 25 | E-MAIL INFO@RUTEC.DE | WWW.RUTEC.DE




# WEISS - 700mA IP54 30° Möbeleinbaustrahler RUND 4, 2W

Article nr.: LED55271WW

for indoor use, IP54 · · housing: diecast aluminum; protective glass · Housing colour: white · not swivelling · Beam angle: 30° · Power: 4.2 W · Light colour: 3000 K · Luminous flux: 260 lm · CRI: >80 · Lifespan L70B50: >= 30.000 h · input: 700 mA DC · protection class III · · Installation depth: 50 mm · Ceiling cut-out: 70 mm · Outer diameter: 83 mm · Energy efficiency class: G · not included LED converter · SECONDLIFE ITEM -heavily discounted- only while stocks last!

## TECHNICAL DATA

| | |
|---|---|
| Unit Code | pcs |
| BAR code | 4012094552712 |
| Housing colour | Weiss |
| Outer diameter | 83 mm |
| Hole size | 70 mm |
| Depth in ceiling | 50.00 mm |
| LED colour | ca. 3000K warmweiß |
| Lightoutput per fixture | 260.00 lm |
| Lamp | including LED |
| IP rating | 54 |



**rutec Licht GmbH & Co. KG** | Carl-Zeiss-Str. 15 | 28857 Syke
TEL +49 (0) 42 42 95 65 - 0 | FAX +49 (0) 42 42 95 65 - 25 | E-MAIL INFO@RUTEC.DE | WWW.RUTEC.DE




# WEISS - 700mA IP54 30° Möbeleinbaustrahler RUND 4, 2W

Article nr.: LED55271WW

## TECHNICAL DATA

| | |
|---|---|
| Furniture downlight | 1 |
| Power | 4,2 W |
| Psb | 0,00 W |
| Current mA | 700 mA |
| Lamp base | ohne |
| Amount of LED | 1 |
| Material | Aluminium |
| Temperature range | -20 - 40 |
| Energy ffficiency class | EEK-Label_G |
| CRI | ≥ 80 |
| Lifetime L70B50 | 36.000 h |
| Suitable light source | |



**rutec Licht GmbH & Co. KG** | Carl-Zeiss-Str. 15 | 28857 Syke
TEL +49 (0) 42 42 95 65 - 0 | FAX +49 (0) 42 42 95 65 - 25 | E-MAIL INFO@RUTEC.DE | WWW.RUTEC.DE




# WEISS - 700mA IP54 30°
# Möbeleinbaustrahler RUND 4, 2W

Article nr.: LED55271WW

## TECHNICAL DRAWING




