rutec Licht GmbH & Co. KG | Carl-Zeiss-Str. 15 | 28857 Syke
TEL +49 (0) 42 42 95 65 - 0 | FAX +49 (0) 42 42 95 65 - 25 | E-MAIL INFO@RUTEC.DE | WWW.RUTEC.DE



EISEN GEBÜRSTET - 700mA IP54 30° Möbeleinbaustrahler ECKIG 4, 2W

Article nr.: LED55285WW

for indoor use, IP54 · · housing: diecast aluminum; protective glass · Housing colour: brushed iron · not swivelling · Beam angle: 30° · Power: 4.2 W · Light colour: 3000 K · Luminous flux: 260 lm · CRI: >80 · Lifespan L70B50: >= 30.000 h · input: 700 mA DC · protection class III · · Installation depth: 50 mm · Ceiling cut-out: 70 mm · Outer dimensions: 81 x 81 mm · Energy efficiency class: G · not included LED converter

TECHNICAL DATA

Unit Code	pcs
BAR code	4012094552859
Housing colour	Silber
Length	81.00 mm
Width	81.00 mm
Hole size	70 mm
Depth in ceiling	50.00 mm
LED colour	ca. 3000K warmweiß
Lightoutput per fixture	260.00 lm
Lamp	Inklusive LED

rutec Licht GmbH & Co. KG | Carl-Zeiss-Str. 15 | 28857 Syke
TEL +49 (0) 42 42 95 65 - 0 | FAX +49 (0) 42 42 95 65 - 25 | E-MAIL INFO@RUTEC.DE | WWW.RUTEC.DE



EISEN GEBÜRSTET - 700mA IP54 30°
Möbeleinbaustrahler ECKIG 4, 2W

Article nr.: LED55285WW

TECHNICAL DATA

IP rating	54
Furniture downlight	1
Power	4,2 W
Current mA	700 mA
Lamp base	ohne
Amount of LED	1
Material	Aluminium
Temperature range	-20 - 40
Energy ffficiency class	EEK-Label_G
CRI	≥ 80

rutec Licht GmbH & Co. KG | Carl-Zeiss-Str. 15 | 28857 Syke
TEL +49 (0) 42 42 95 65 - 0 | FAX +49 (0) 42 42 95 65 - 25 | E-MAIL INFO@RUTEC.DE | WWW.RUTEC.DE



EISEN GEBÜRSTET - 700mA IP54 30°
Möbeleinbaustrahler ECKIG 4, 2W

Article nr.: LED55285WW

TECHNICAL DRAWING