




2700K 25° 350mA CRI90 m.Scheibe LED Einbaustr. 8W chrommatt o.Konv.

Article nr.: ALU57689UWWOK

for indoor use, IP20 · · housing: diecast aluminum, glass reflector, protection glass · cardanic mounting-steel · housing color: chrome matt · 40° swivel and 360° rotating · beam angle: 25° · power: 8 W · light color: 2700K · luminous flux: 694 lm · CRI: >90 · lifespan L70: >= 33.000 h · input: 350mA DC · protection class III · · installation depth: 55 mm · ceiling cut out: 92 mm · outer diameter: 110 mm · energy efficiency class: F · not included LED converter · SECONDLIFE ITEM -heavily discounted- only while stocks last!

TECHNICAL DATA

Unit Code	pcs
BAR code	4012094076898
Housing colour	Chrom matt
Height	55.00 mm
Outer diameter	110 mm
Hole size	92 mm
Depth in ceiling	55.00 mm
LED colour	ca. 2700K ultra warmweiß
Lightoutput per fixture	694.00 lm
Lamp	including LED





 Secondlife-Shop

2700K 25° 350mA CRI90 m.Scheibe LED Einbaustr. 8W chrommatt o.Konv.

Article nr.: ALU57689UWWOK

TECHNICAL DATA

IP rating	20
Power	8 W
Current mA	350 mA
Lamp base	ohne
Amount of LED	1
Material	Aluminium
Temperature range	-20 - 40
Energy efficiency class	EEK-Label_F
Lifetime L70B50	36.000 h
Suitable light source	



Reihenschaltung






Secondlife-Shop

2700K 25° 350mA CRI90 m.Scheibe
LED Einbaustr. 8W chrommatt o.Konv.
Article nr.: ALU57689UWWOK

TECHNICAL DRAWING

