rutec Licht GmbH & Co. KG | Carl-Zeiss-Str. 15 | 28857 Syke
TEL +49 (0) 42 42 95 65 - 0 | FAX +49 (0) 42 42 95 65 - 25 | E-MAIL INFO@RUTEC.DE | WWW.RUTEC.DE



220V-240V 50/60Hz CRI80 Scheibe matt


SANYA AC RUND Weiß matt 6WIP40 2700K

Article nr.: ALU46351UWW-V2

for indoor use, IP40 · · housing: diecast aluminium (plastic protection plate , diffuse) · housing colour: white · beam angle: 95° · power: 6 W · light colour: 2700 K · luminous flux: 500 lm · CRI: >80 · lifespan L70B50: >= 50.000 h · input voltage: 220-240 V AC · protection class I, MM · · installation depth: 49 mm · ceiling cut-out: 68 mm · outer diameter: 82 mm · energy effiency class: F · not dimmable · When used in alternating or cross connection, an LED compensator must be used in · parallel with the switching wire

TECHNICAL DATA

Unit Code	pcs
BAR code	4012094053516
Housing colour	Weiss matt
Height	39.00 mm
Outer diameter	82 mm
Hole size	68 mm
Depth in ceiling	49.00 mm
LED colour	ca. 2700 K ultra warmweiß
Lightoutput per fixture	500.00 lm
Lamp	Inklusive LED



rutec Licht GmbH & Co. KG | Carl-Zeiss-Str. 15 | 28857 Syke
TEL +49 (0) 42 42 95 65 - 0 | FAX +49 (0) 42 42 95 65 - 25 | E-MAIL INFO@RUTEC.DE | WWW.RUTEC.DE




220V-240V 50/60Hz CRI80 Scheibe matt

SANYA AC RUND Weiß matt 6WIP40 2700K

Article nr.: ALU46351UWW-V2

TECHNICAL DATA

IP rating	40
Power	6 W
Psb	0,00 W
Current mA	26 mA
Input voltage	220-240
Material	Aluminium
Temperature range	-20 - 50
Energy ffficiency class	EEK-Label_F
CRI	≥ 80
Lifetime L70B50	50.000 h



rutec Licht GmbH & Co. KG | Carl-Zeiss-Str. 15 | 28857 Syke
TEL +49 (0) 42 42 95 65 - 0 | FAX +49 (0) 42 42 95 65 - 25 | E-MAIL INFO@RUTEC.DE | WWW.RUTEC.DE



220V-240V 50/60Hz CRI80 Scheibe matt

SANYA AC RUND Weiß matt 6WIP40 2700K

Article nr.: ALU46351UWW-V2

TECHNICAL DRAWING

