**rutec Licht GmbH & Co. KG** | Carl-Zeiss-Str. 15 | 28857 Syke
TEL +49 (0) 42 42 95 65 - 0 | FAX +49 (0) 42 42 95 65 - 25 | E-MAIL INFO@RUTEC.DE | WWW.RUTEC.DE




# 220V-240V 50/60Hz CRI80 Scheibe klar SANYA AC-V2 RUND Weiss 5, 5WIP40 2700K

Article nr.: ALU46371UWW

for indoor use, IP40 · · Housing: diecast aluminum (plastic protection plate, transparent) · Housing colour: white · swivel · Beam angle: 95° · Power: 5.5 W · Light colour: 2700 K · Luminous flux: 458 lm · CRI: >80 · Lifespan L70: >= 50.000 h · Input voltage: 230 V AC, 50 / 60 Hz · protection class I · · Installation depth: 45 mm · Ceiling cut-out: 68 mm · Outer diameter: 83 mm · not dimmable · When used in alternating or cross connection, an LED compensator must be used in · parallel with the switching wire

## TECHNICAL DATA

| | |
|---|---|
| Unit Code | pcs |
| BAR code | 4012094663715 |
| Housing colour | Weiss |
| Height | 34.50 mm |
| Outer diameter | 83 mm |
| Hole size | 68 mm |
| Depth in ceiling | 45.00 mm |
| LED colour | ca. 2700K ultra warmweiß |
| Lightoutput per fixture | 458.00 lm |
| Lamp | Inklusive LED |



**rutec Licht GmbH & Co. KG** | Carl-Zeiss-Str. 15 | 28857 Syke
TEL +49 (0) 42 42 95 65 - 0 | FAX +49 (0) 42 42 95 65 - 25 | E-MAIL INFO@RUTEC.DE | WWW.RUTEC.DE



# 220V-240V 50/60Hz CRI80 Scheibe klar

## SANYA AC-V2 RUND Weiss 5, 5WIP40 2700K

Article nr.: ALU46371UWW

### TECHNICAL DATA

| | |
|---|---|
| IP rating | 40 |
| Power | 5,5 W |
| Current mA | 24 mA |
| Voltage | 230 V |
| Lamp base | ohne |
| Material | Aluminium |
| Temperature range | -20 - 50 |
| CRI | ≥ 80 |



**rutec Licht GmbH & Co. KG** | Carl-Zeiss-Str. 15 | 28857 Syke

TEL +49 (0) 42 42 95 65 - 0 | FAX +49 (0) 42 42 95 65 - 25 | E-MAIL INFO@RUTEC.DE | WWW.RUTEC.DE



# 220V-240V 50/60Hz CRI80 Scheibe klar

# SANYA AC-V2 RUND Weiss 5, 5WIP40 2700K

Article nr.: ALU46371UWW

## TECHNICAL DRAWING

Image not found or type unknown