rutec Licht GmbH & Co. KG | Carl-Zeiss-Str. 15 | 28857 Syke
TEL +49 (0) 42 42 95 65 - 0 | FAX +49 (0) 42 42 95 65 - 25 | E-MAIL INFO@RUTEC.DE | WWW.RUTEC.DE



220V-240V 50/60Hz CRI80 Scheibe klar


SANYA AC-V2 ECKIG Weiss 5, 5W IP40 2700K

Article nr.: ALU46471UWW

for indoor use, IP40 · · Housing: diecast aluminum (plastic protection plate, transparent) · Housing colour: white · swivel · Beam angle: 95° · Power: 5.5 W · Light colour: 2700 K · Luminous flux: 458 lm · CRI: >80 · Lifespan L70: >= 50.000 h · Input voltage: 230 V AC, 50 / 60 Hz · protection class I · · Installation depth: 45 mm · Ceiling cut-out: 68 mm · External dimensions: 83 x 83 mm · not dimmable · When used in alternating or cross connection, the use of LED compensator in parallel · to the switching wire

TECHNICAL DATA

Unit Code	pcs
BAR code	4012094564715
Housing colour	Weiss
Length	83.00 mm
Width	83.00 mm
Height	34.50 mm
Hole size	68 mm
Depth in ceiling	45.00 mm
LED colour	ca. 2700K ultra warmweiß
Lightoutput per fixture	458.00 lm



rutec Licht GmbH & Co. KG | Carl-Zeiss-Str. 15 | 28857 Syke
TEL +49 (0) 42 42 95 65 - 0 | FAX +49 (0) 42 42 95 65 - 25 | E-MAIL INFO@RUTEC.DE | WWW.RUTEC.DE




220V-240V 50/60Hz CRI80 Scheibe klar

SANYA AC-V2 ECKIG Weiss 5, 5W IP40 2700K

Article nr.: ALU46471UWW

TECHNICAL DATA

Lamp	Inklusive LED
IP rating	40
Power	5,5 W
Current mA	24 mA
Voltage	230 V
Lamp base	ohne
Material	Aluminium
Temperature range	-20 - 50
CRI	≥ 80



rutec Licht GmbH & Co. KG | Carl-Zeiss-Str. 15 | 28857 Syke

TEL +49 (0) 42 42 95 65 - 0 | FAX +49 (0) 42 42 95 65 - 25 | E-MAIL INFO@RUTEC.DE | WWW.RUTEC.DE



220V-240V 50/60Hz CRI80 Scheibe klar

SANYA AC-V2 ECKIG Weiss 5, 5W IP40 2700K

Article nr.: ALU46471UWW

TECHNICAL DRAWING

Image not found or type unknown