



**220V-240V 50/60Hz CRI80 Scheibe klar
SANYA AC-V2 ECKIG eisen. 5, 5W IP40
2700K**

Article nr.: ALU46475UWW

for indoor use, IP40 · Housing: diecast aluminum (plastic protection plate, transparent) · Housing colour: iron-brushed · swivel · Beam angle: 95° · Power: 5.5 W · Light colour: 2700 K · Luminous flux: 458 lm · CRI: >80 · Lifespan L70: >= 50.000 h · Input voltage: 230 V AC, 50 / 60 Hz · protection class I · Installation depth: 45 mm · Ceiling cut-out: 68 mm · External dimensions: 83 x 83 mm · not dimmable

TECHNICAL DATA

Unit Code	pcs
BAR code	4012094564753
Housing colour	Eisen-gebürstet
Length	83.00 mm
Width	83.00 mm
Height	34.50 mm
Hole size	68 mm
Depth in ceiling	45.00 mm
LED colour	UWW ca. 2700K
Lightoutput per fixture	458.00 lm






**220V-240V 50/60Hz CRI80 Scheibe klar
SANYA AC-V2 ECKIG eisen. 5, 5W IP40
2700K**

Article nr.: ALU46475UWW

TECHNICAL DATA

Lamp	Inklusive LED
IP rating	40
Power	5,5 W
Current mA	24 mA
Voltage	230 V
Lamp base	ohne
Material	Aluminium
Temperature range	-20 - 50
CRI	≥ 80





220V-240V 50/60Hz CRI80 Scheibe klar
SANYA AC-V2 ECKIG eisen. 5, 5W IP40
2700K

Article nr.: ALU46475UWW

TECHNICAL DRAWING




image not found or type unknown