




230V 50/60Hz Scheibe opal 3000K SILMA LED-EBS AC RUND WEISS 10W

Article nr.: 48100-V2

for indoor use, IP40 · Housing: diecast aluminium (plastic protection plate, diffuse) · Housing colour: white matt · not adjustable · beam angle: 78° · power: 10 W · light colour: 3000 K · luminous flux: 784 lm · CRI: >80 · lifespan L70B50: >= 50,000 h · voltage: 230 V AC · protection class I · installation depth: 56 mm · ceiling cut-out: 90 mm · outer diameter: 109 mm · energy efficiency class: F · not dimmable

TECHNICAL DATA

Unit Code	pcs
BAR code	4012094081007
Housing colour	Weiss
Height	46.00 mm
Outer diameter	109 mm
Hole size	90 mm
Depth in ceiling	56.00 mm
LED colour	ca. 3000K warmweiß
Lightoutput per fixture	784.00 lm
Lamp	including LED






230V 50/60Hz Scheibe opal 3000K SILMA LED-EBS AC RUND WEISS 10W

Article nr.: 48100-V2

TECHNICAL DATA

IP rating	40
Power	10 W
Psb	0,00 W
Voltage	220-240 V
Material	Aluminium
Temperature range	-20 - 50
Energy efficiency class	EEK-Label_F
CRI	≥ 80
Lifetime L70B50	50.000 h
Lifetime L90B10	20.000 h
Suitable light source	





**230V 50/60Hz Scheibe opal 3000K SILMA
LED-EBS AC RUND WEISS 10W**

Article nr.: 48100-V2

TECHNICAL DRAWING

