rutec Licht GmbH & Co. KG | Carl-Zeiss-Str. 15 | 28857 Syke
TEL +49 (0) 42 42 95 65 - 0 | FAX +49 (0) 42 42 95 65 - 25 | E-MAIL INFO@RUTEC.DE | WWW.RUTEC.DE



TALU LED-Einbaustrahler ohne Konverter schwenk., rund, 350mA, 8W, IP20, 4000K, CRI90-Weiß matt

Article nr.: ALU57341NWOK-M

for indoor use, IP20 · · housing: diecast aluminium, glass reflector, protective glass · housing color: white matt · 30° swiveling · beam angle: 40° · power: 8 W · light color: 4,000 K · luminous flux: 735 lm · CRI: >90 · lifetime L70B50: >= 54,000 h · input: 350 mA · protection class III · · installation depth: 40 mm · ceiling cut-out: 68 mm · outer diameter: 82 mm · energie efficiency class: F · not included LED converter

TECHNICAL DATA

Unit Code	pcs
BAR code	4012094672410
Housing colour	Weiss matt
Height	31.00 mm
Outer diameter	82 mm
Hole size	68 mm
Depth in ceiling	40.00 mm
LED colour	ca. 4000K neutralweiß
Lightoutput per fixture	735.00 lm
Lamp	including LED



rutec Licht GmbH & Co. KG | Carl-Zeiss-Str. 15 | 28857 Syke
TEL +49 (0) 42 42 95 65 - 0 | FAX +49 (0) 42 42 95 65 - 25 | E-MAIL INFO@RUTEC.DE | WWW.RUTEC.DE



TALU LED-Einbaustrahler ohne Konverter schwenk., rund, 350mA, 8W, IP20, 4000K, CRI90-Weiß matt

Article nr.: ALU57341NWOK-M

TECHNICAL DATA

IP rating	20
Power	8 W
Psb	0,00 W
Current mA	350 mA
Lamp base	ohne
Material	Aluminium
Temperature range	-20 - 40
Energy ffficiency class	EEK-Label_F
CRI	≥ 90
Lifetime L70B50	54.000 h
Lifetime L90B10	46.000 h
Suitable light source	



rutec Licht GmbH & Co. KG | Carl-Zeiss-Str. 15 | 28857 Syke
TEL +49 (0) 42 42 95 65 - 0 | FAX +49 (0) 42 42 95 65 - 25 | E-MAIL INFO@RUTEC.DE | WWW.RUTEC.DE



TALU LED-Einbaustrahler ohne Konverter schwenk., rund, 350mA, 8W, IP20, 4000K, CRI90-Weiß matt

Article nr.: ALU57341NWOK-M

TECHNICAL DRAWING

