



## 2300-3000K 40° 350mA CRI90 m.Scheibe LED Einbaustr. 7W Weiß o.Konverter

Article nr.: ALU57351DTWOK-V2

for indoor use, IP 20 · housing: diecast aluminum, glass reflector, protective glass · housing color: white · 30 ° swivelling · beam angle: 40° · power: 7 W · light color: 2300 - 3000 K DimToWarm · luminous flux: 504 lm · CRI: >90 · lifetime L70B50: >= 55.000 h · input: 350 mA DC · protection class III · installation depth: 40 mm · ceiling cut-out: 68 mm · outer diameter: 82 mm · energie efficiency class: G · not included LED converter · SECONDLIFE ITEM -heavily discounted- only while stocks last!

### TECHNICAL DATA

|                         |                        |
|-------------------------|------------------------|
| Unit Code               | pcs                    |
| BAR code                | 4012094173511          |
| Housing colour          | Weiss                  |
| Height                  | 34.00 mm               |
| Outer diameter          | 82 mm                  |
| Hole size               | 68 mm                  |
| Depth in ceiling        | 40.00 mm               |
| LED colour              | 3000-2300K Dim to Warm |
| Lightoutput per fixture | 504.00 lm              |
| Lamp                    | including LED          |





**2300-3000K 40° 350mA CRI90 m.Scheibe**  
**LED Einbaustr. 7W Weiß o.Konverter**  
Article nr.: ALU57351DTWOK-V2

## TECHNICAL DATA

|                         |             |
|-------------------------|-------------|
| IP rating               | 20          |
| Power                   | 7 W         |
| Current mA              | 350 mA      |
| Lamp base               | ohne        |
| Material                | Aluminium   |
| Temperature range       | -20 - 40    |
| Energy efficiency class | EEK-Label_G |
| CRI                     | ≥ 90        |
| Lifetime L70B50         | 55.000 h    |
| Suitable light source   |             |





**2300-3000K 40° 350mA CRI90 m.Scheibe**  
**LED Einbaustr. 7W Weiß o.Konverter**  
Article nr.: ALU57351DTWOK-V2

## TECHNICAL DRAWING

