rutec Licht GmbH & Co. KG | Carl-Zeiss-Str. 15 | 28857 Syke
TEL +49 (0) 42 42 95 65 - 0 | FAX +49 (0) 42 42 95 65 - 25 | E-MAIL INFO@RUTEC.DE | WWW.RUTEC.DE



ALUSPIEGEL 40° 350mA CRI80 3000K TALU POWER 10W chromm. m.Konv. dim

Article nr.: ALU58379WWD

for indoor use, IP 20 · · housing: diecast aluminum, glass reflector · housing color: chrome matt · 30° swivelling · beam angle: 40° · power: 10 W · light color: 3000 K · luminous flux: 1180 lm · CRI: >80 · lifespan L70B50: >= 50,000 h · input: 350 mA DC · protection class III · · installation depth: 45 mm · ceiling cut-out: 68 mm · outer diameter: 83 mm · including LED converter dimmable via tronic dimmer · this product contains a light source of energy efficiency class E · SECONDLIFE ITEM -heavily discounted- only while stocks last!

TECHNICAL DATA

Unit Code	pcs
BAR code	4012094383798
Housing colour	Chrom matt
Height	40.00 mm
Outer diameter	83 mm
Hole size	68 mm
Depth in ceiling	45.00 mm
LED colour	ca. 3000K warmweiß
Lightoutput per fixture	1180.00 lm
Lamp	including LED



rutec Licht GmbH & Co. KG | Carl-Zeiss-Str. 15 | 28857 Syke
TEL +49 (0) 42 42 95 65 - 0 | FAX +49 (0) 42 42 95 65 - 25 | E-MAIL INFO@RUTEC.DE | WWW.RUTEC.DE



ALUSPIEGEL 40° 350mA CRI80 3000K TALU POWER 10W chromm. m.Konv. dim

Article nr.: ALU58379WWD

TECHNICAL DATA

IP rating	20
Power	10 W
Voltage	230 V
Lamp base	ohne
Amount of LED	1
Material	Aluminium
Temperature range	-20 - 40
CRI	≥ 80
Lifetime L70B50	50.000 h
Suitable light source	



rutec Licht GmbH & Co. KG | Carl-Zeiss-Str. 15 | 28857 Syke
TEL +49 (0) 42 42 95 65 - 0 | FAX +49 (0) 42 42 95 65 - 25 | E-MAIL INFO@RUTEC.DE | WWW.RUTEC.DE



ALUSPIEGEL 40° 350mA CRI80 3000K TALU POWER 10W chromm. m.Konv. dim

Article nr.: ALU58379WWD

TECHNICAL DRAWING

