




VARDAflex IP67 - 5 Meter Rolle Flex.LED Strip, 24V, IP67, 3000K

Article nr.: 86475

flexible LED strip extruded with polyurethan · and self-adhesive back, · for indoor and outdoor use, IP67 · · cuttable every 100 mm / 6 LEDs · number of LEDs: 300 · LED spacing: 16.67 mm · beam angle: 120° · CRI: > 80 · Light flux per metre: 386 lm · load per metre: 4,8 W · Energy efficiency class: G · lifetime L70B50: >= 72,000 h · LxWxH in mm: 5,000 x 8 x 3 · · Maximum length per connection: 10 metres. · New connection for greater length.

TECHNICAL DATA

Unit Code	pcs
BAR code	4012094864754
Housing colour	Weiss
Length	5000.00 mm
Width	8.00 mm
Height	3.00 mm
LED colour	ca. 3000K warmweiß
Lightoutput per fixture	1930.00 lm
Lightoutput per LED	6.43 lm
Lamp	Inklusive LED






VARDAflex IP67 - 5 Meter Rolle
Flex.LED Strip, 24V, IP67, 3000K
Article nr.: 86475

TECHNICAL DATA

IP rating	67
Power	24 W
Current mA	1.000 mA
Voltage	24 V
Amount of LED	300
Material	Kunststoff
Temperature range	-20 - 45
LED per meter	60
Dimension of segments	100.00 mm
Energy efficiency class	EEK-Label_G
CRI	≥ 80
Lifetime L70B50	72.000 h
Lifetime L90B10	35.000 h





VARDaflex IP67 - 5 Meter Rolle
Flex.LED Strip, 24V, IP67, 3000K
Article nr.: 86475

TECHNICAL DRAWING

