




VARDAflex - select 5 M-Rolle 12V LED Leiste, Innen, rot/2700K Article nr.: 88530

Flexible LED Strips Alternately Mounted, Self-Adhesive Backing, · for Indoor Use · Lighting Control (White / Warm White) from 3000 K to 7000 K is Possible · Separable Every 5 cm or 6 LEDs · LED Distance: 8 mm (600 LED) · Easy Installation with Solder-less Plug Connections · Maximum Length per Connection: 7,5 Meter. New Connectors for Greater Lengths. · lifespan L70B50: $\geq 54,000$ h · Delivery Contents: 5 Meter Roll, 5 Power Supply Connectors, 1 Direct Connector · UWW (2700K)/Amber for Baked Goods · UWW (2700K)/Red for Meat Products · energy efficiency class: G

TECHNICAL DATA

Unit Code	pcs
BAR code	4012094885308
Length	5000.00 mm
Width	8.00 mm
Height	1.80 mm
LED colour	ca. 2700K+rot tunable white
Lightoutput per fixture	3180.00 lm
Lightoutput per LED	5.30 lm
Lamp	Inklusive LED
IP rating	20






VARDAflex - select 5 M-Rolle 12V LED

Leiste, Innen, rot/2700K

Article nr.: 88530

TECHNICAL DATA

Power	48 W
Psb	0,00 W
Current mA	4.000 mA
Voltage	12 V
Amount of LED	600
Material	Kunststoff
Temperature range	-20 - 45
LED per meter	120
Dimension of segments	50.00 mm
Energy efficiency class	EEK-Label_G
CRI	≥ 80
Lifetime L70B50	54.000 h





VARDAflex - select 5 M-Rolle 12V LED
Leiste, Innen, rot/2700K
Article nr.: 88530

TECHNICAL DRAWING

