




VARDAflexIP68 - 5 Meter Rolle 12V Flex.LED im Schlauch, IP68, Gelb

Article nr.: 88561

Flexible LED Strips in a Silicone Tubing · for Indoor and Outdoor Use · Separable Every 5 cm or 3 LEDs · (24 Volt: Separable Every 10 cm or 6 LEDs) · LED Distance: Single Color 16 mm (300 LED) · Easy Installation with Solder-less Plug Connections. · Maximum Length per Connection: 10 Meter. New Connectors for Greater Lengths. · Delivery Contents: 5 Meter Roll, 5 Power Supply Connector, 1 Direct Connector, · 1 Connection Tube, 30 Mounting Brackets, 2 End Caps, 2 · Power Supply Connecting Caps · Sorted and Stored by Binning Code · · SECONDLIFE ITEM -heavily discounted- only while stocks last!

TECHNICAL DATA

Unit Code	pcs
BAR code	4012094885612
Length	5000.00 mm
Width	11.00 mm
Height	4.00 mm
LED colour	Gelb/Amber
Lightoutput per fixture	230.00 lm
Lightoutput per LED	0.76 lm
Lamp	including LED
IP rating	68






VARDAflexIP68 - 5 Meter Rolle 12V
Flex.LED im Schlauch, IP68, Gelb
Article nr.: 88561

TECHNICAL DATA

Power	24 W
Psb	0,00 W
Current mA	2000 mA
Voltage	12 V
Amount of LED	300
Material	Kunststoff
Temperature range	-20 - 45
LED per meter	60
Dimension of segments	50.00 mm
CRI	≥ 80
Lifetime L70B50	63.000 h
Lifetime L90B10	35.000 h
Suitable light source	





VARDaflexIP68 - 5 Meter Rolle 12V
Flex.LED im Schlauch, IP68, Gelb
Article nr.: 88561

TECHNICAL DRAWING

