




VARDAflexIP68 - 5 Meter Rolle 12V Flex.LED im Schlauch, IP68, Grün

Article nr.: 88563

Flexible LED Strips in a Silicone Tubing · for Indoor and Outdoor Use · Separable Every 5 cm or 3 LEDs · (24 Volt: Separable Every 10 cm or 6 LEDs) · LED Distance: Single Color 16 mm (300 LED) · Easy Installation with Solder-less Plug Connections. · Maximum Length per Connection: 10 Meter. New Connectors for Greater Lengths. · Delivery Contents: 5 Meter Roll, 5 Power Supply Connector, 1 Direct Connector, · 1 Connection Tube, 30 Mounting Brackets, 2 End Caps, 2 · Power Supply Connecting Caps · Sorted and Stored by Binning Code · · SECONDLIFE ITEM -heavily discounted- only while stocks last!

TECHNICAL DATA

Unit Code	pcs
BAR code	4012094885636
Length	5000.00 mm
Width	11.00 mm
Height	4.00 mm
LED colour	Grün
Lightoutput per fixture	1110.00 lm
Lightoutput per LED	3.70 lm
Lamp	without
IP rating	68






VARDAflexIP68 - 5 Meter Rolle 12V Flex.LED im Schlauch, IP68, Grün

Article nr.: 88563

TECHNICAL DATA

Power	24 W
Psb	0,00 W
Current mA	2000 mA
Voltage	12 V
Amount of LED	300
Material	Kunststoff
Temperature range	-20 - 45
LED per meter	60
Dimension of segments	50.00 mm
CRI	≥ 80
Lifetime L70B50	63.000 h
Lifetime L90B10	35.000 h
Suitable light source	





VARDaflexIP68 - 5 Meter Rolle 12V
Flex.LED im Schlauch, IP68, Grün
Article nr.: 88563

TECHNICAL DRAWING

