



VARDAflex E Work Light 10M Ersatz LED


**Vergossener LED-Strip, 18V, 5, 5W/m,
IP65, 3000K, CRI80**

Article nr.: 74945LED

Construction site lighting in LED strip design with battery operation · for indoor and outdoor use, IP65 · UV-resistant · number of LEDs: 800 · LED pitch: 12.5 mm · beam angle: 90° · CRI: >80 · luminous flux per meter: 685 lm · operating voltage: 18 V battery · power per meter: 5.5 W · energy efficiency class: D · lifetime L70B50: >= 60,000 h · LxWxH in mm: 10,000 x 12 x 5.7 · Attention: Only operate LED strip when completely unrolled · Maximum length per connection: 10 meter · Scope of delivery: 10 meter roll

TECHNICAL DATA

Unit Code	pcs
BAR code	4012094049458
Housing colour	Weiss
Length	10000.00 mm
Width	12.00 mm
Height	5.70 mm
LED colour	ca. 3000K warmweiß
Lightoutput per fixture	6850.00 lm
Lightoutput per LED	8.56 lm
Lamp	including LED






VARDAflex E Work Light 10M Ersatz LED

Vergossener LED-Strip, 18V, 5, 5W/m,
IP65, 3000K, CRI80

Article nr.: 74945LED

TECHNICAL DATA

IP rating	65
Power	55 W
Psb	0,00 W
Current mA	3055 mA
Voltage	18 V
Amount of LED	800
Material	Kunststoff
Temperature range	-20 - 45
LED per meter	80
Dimension of segments	62.50 mm
Energy efficiency class	EEK-Label_D
CRI	≥ 80
Lifetime L70B50	60.000 h
Lifetime L90B10	18.000 h
Suitable light source	





VARDaflex E Work Light 10M Ersatz LED

Vergossener LED-Strip, 18V, 5, 5W/m,
IP65, 3000K, CRI80

Article nr.: 74945LED

TECHNICAL DRAWING

