



## VARDAflex E Work Light 10M Ersatz LED


**Vergossener LED-Strip, 18V, 5, 5W/m,  
IP65, 4000K, CRI80**

Article nr.: 74948LED

Construction site lighting in LED strip design with battery operation · for indoor and outdoor use, IP65 · UV-resistant · number of LEDs: 800 · LED pitch: 12.5 mm · beam angle: 90° · CRI: >80 · luminous flux per meter: 730 lm · operating voltage: 18 V battery · power per meter: 5.5 W · energy efficiency class: D · lifetime L70B50: >= 60,000 h · LxWxH in mm: 10,000 x 12 x 5.7 · Attention: Only operate LED strip when completely unrolled · Maximum length per connection: 10 meter · Scope of delivery: 10 meter roll

### TECHNICAL DATA

|                         |                       |
|-------------------------|-----------------------|
| Unit Code               | pcs                   |
| BAR code                | 4012094049489         |
| Housing colour          | Weiss                 |
| Length                  | 10000.00 mm           |
| Width                   | 12.00 mm              |
| Height                  | 5.70 mm               |
| LED colour              | ca. 4000K neutralweiß |
| Lightoutput per fixture | 7300.00 lm            |
| Lightoutput per LED     | 9.13 lm               |
| Lamp                    | including LED         |





## VARDAflex E Work Light 10M Ersatz LED

Vergossener LED-Strip, 18V, 5, 5W/m,  
IP65, 4000K, CRI80

Article nr.: 74948LED

### TECHNICAL DATA

|                         |             |
|-------------------------|-------------|
| IP rating               | 65          |
| Power                   | 55 W        |
| Psb                     | 0,00 W      |
| Current mA              | 3055 mA     |
| Voltage                 | 18 V        |
| Amount of LED           | 800         |
| Material                | Kunststoff  |
| Temperature range       | -20 - 45    |
| LED per meter           | 80          |
| Dimension of segments   | 62.50 mm    |
| Energy efficiency class | EEK-Label_D |
| CRI                     | ≥ 80        |
| Lifetime L70B50         | 60.000 h    |
| Lifetime L90B10         | 18.000 h    |
| Suitable light source   |             |





## VARDaflex E Work Light 10M Ersatz LED

Vergossener LED-Strip, 18V, 5, 5W/m,  
IP65, 4000K, CRI80

Article nr.: 74948LED

### TECHNICAL DRAWING

