




## VARDAflex Quantum Plus IP65- 5 M. Rolle Flex.LEDStrip, 24V, IP65, 3000K Article nr.: 86445

flexible LED-strip with self adhesive backside, · for indoor and outdoor use, IP65 · uv-resistant · · can be separated every 125 mm or 8 LEDs · number of LEDs: 320 · LED pitch: 15.63 mm · beam angle: 120° · CRI: >80 · luminous flux per meter: 1688 lm · input: 24V DC · power per meter: 11.5 W · lifetime L70B50: >= 67.000 h · energy efficiency class: E · LxWxH in mm: 5.000 x 11.8 x 5.7 · · Maximum length per connection: 10 meter. New connectors for greater length. · scope of delivery: 5 meter reel with 150 mm connecting cable and plug/socket at · each end, 1x socket with 150 mm connection cable, 1x plug as end cap, · 2x silicone cap with cable feed-through, 2x silicone cap closed, · 20x silicone fixing brackets

### TECHNICAL DATA

|                         |                    |
|-------------------------|--------------------|
| Unit Code               | pcs                |
| BAR code                | 4012094864457      |
| Length                  | 5000.00 mm         |
| Width                   | 11.80 mm           |
| Height                  | 5.70 mm            |
| LED colour              | ca. 3000K warmweiß |
| Lightoutput per fixture | 8440.00 lm         |
| Lightoutput per LED     | 26.38 lm           |
| Lamp                    | Inklusive LED      |
| IP rating               | 65                 |






**VARDAflex Quantum Plus IP65- 5 M.**  
**Rolle Flex.LEDStrip, 24V, IP65, 3000K**  
Article nr.: 86445

## TECHNICAL DATA

|                         |             |
|-------------------------|-------------|
| Power                   | 57,5 W      |
| Psb                     | 0,00 W      |
| Current mA              | 2.395 mA    |
| Voltage                 | 24 V        |
| Amount of LED           | 320         |
| Material                | Kunststoff  |
| Temperature range       | -20 - 45    |
| LED per meter           | 64          |
| Dimension of segments   | 125.00 mm   |
| Energy efficiency class | EEK-Label_E |
| CRI                     | ≥ 80        |
| Lifetime L70B50         | 67.000 h    |





**VARDAflex Quantum Plus IP65- 5 M.**  
**Rolle Flex.LEDStrip, 24V, IP65, 3000K**  
Article nr.: 86445

## TECHNICAL DRAWING

