



VARDAflex IP67 - 5 Meter Rolle Flex.LED Strip, 24V, IP67, 4000K

Article nr.: 86478-V2

flexible LED strip extruded with polyurethan · and self-adhesive back, · for indoor use, IP67 · · cuttable every 100 mm / 6 LEDs · number of LEDs: 300 · LED pitch: 16.67 mm · beam angle: 120° · CRI: > 80 · luminous flux per metre: 475 lm · power per metre: 4,8 W · energy efficiency class: F · lifetime L70B50: >= 67,000 h · LxWxH in mm: 5,000 x 8 x 3 · · Maximum length per connection: 10 metres. · New connection for greater length. · scope of delivery: 5 meter roll, 1 power supply connector, 10 fixing brackets, 1 end cap · · SECONDLIFE ITEM -heavily discounted- only while stocks last!

TECHNICAL DATA

Unit Code	pcs
BAR code	4012094714783
Housing colour	Weiss
Length	5000.00 mm
Width	8.00 mm
Height	3.00 mm
LED colour	ca. 4000K neutralweiß
Lightoutput per fixture	2375.00 lm
Lightoutput per LED	7.92 lm
Lamp	including LED





VARDAflex IP67 - 5 Meter Rolle Flex.LED Strip, 24V, IP67, 4000K

Article nr.: 86478-V2

TECHNICAL DATA

IP rating	67
Power	24 W
Psb	0,00 W
Current mA	1000 mA
Voltage	24 V
Amount of LED	300
Material	Kunststoff
Temperature range	-20 - 50
LED per meter	60
Dimension of segments	100.00 mm
Energy efficiency class	EEK-Label_F
CRI	≥ 80
Lifetime L70B50	67.000 h
Lifetime L90B10	35.000 h
Suitable light source	





VARDAflex IP67 - 5 Meter Rolle
Flex.LED Strip, 24V, IP67, 4000K
Article nr.: 86478-V2

TECHNICAL DRAWING

