




VARDAflex IP68 - 5 Meter Rolle Flex.LED Strip, 24V, IP68, 3000K

Article nr.: 86565

Flexible LED Strips in a Silicone Tubing · for Indoor and Outdoor Use · Separable Every 5 cm or 3 LEDs · (24 Volt: Separable Every 10 cm or 6 LEDs) · LED Distance: Single Color 16 mm (300 LED) · Easy Installation with Solder-less Plug Connections. · Maximum Length per Connection: 10 Meter. New Connectors for Greater Lengths. · lifetime L70B50: ≥ 72.000 h · Delivery Contents: 5 Meter Roll, 5 Power Supply Connector, 1 Direct Connector, 1 Connection Tube, 30 Mounting Brackets, 2 End Caps, 2 · Power Supply Connecting Caps · Sorted and Stored by Binning Code · energy efficiency class: G

TECHNICAL DATA

Unit Code	pcs
BAR code	4012094865652
Housing colour	Weiss
Length	5000.00 mm
Width	11.00 mm
Height	4.00 mm
LED colour	ca. 3000K warmweiß
Lightoutput per fixture	2070.00 lm
Lightoutput per LED	6.90 lm
Lamp	including LED






VARDAflex IP68 - 5 Meter Rolle
Flex.LED Strip, 24V, IP68, 3000K
Article nr.: 86565

TECHNICAL DATA

IP rating	68
Power	24 W
Psb	0,00 W
Current mA	1000 mA
Voltage	24 V
Amount of LED	300
Material	Kunststoff
Temperature range	-20 - 45
LED per meter	60
Dimension of segments	100.00 mm
Energy efficiency class	EEK-Label_G
CRI	≥ 80
Lifetime L70B50	72.000 h
Lifetime L90B10	35.000 h
Suitable light source	





VARDAflex IP68 - 5 Meter Rolle
Flex.LED Strip, 24V, IP68, 3000K
Article nr.: 86565

TECHNICAL DRAWING

