




## VARDAflex Osmium Piko SVQ 3000K - 5M-Rolle LED-Strip, 24V, 13W/m, IP65, 3000K

Article nr.: 79615

flexible LED Stripe sealed in UV- and · saltwater resistant white silicone · for indoor- and outdoor use, IP65 · · cuttable every 50 mm / 7 LEDs · amount of LEDs per meter: 140 · LED pitch: 7.14 mm · beam angle: 110° · CRI: >90 · luminous flux per meter: 580 lm · power per meter: 13 W · lifetime L70B50: >= 54,000 h · LxWxH in mm: 5,000 x 11 x 11 · · temperature range: -20 to +45°C · processing temperature: +10 to +45°C · maximum length per connection: 5 meter · bending diameter vertical: 110 mm · Delivery contents: 5 meter reel with 1 meter connection cable on both ends, · 2x silicon end caps

### TECHNICAL DATA

|                         |                    |
|-------------------------|--------------------|
| Unit Code               | pcs                |
| BAR code                | 4012094797151      |
| Housing colour          | Weiss              |
| Length                  | 5000.00 mm         |
| Width                   | 11.00 mm           |
| Height                  | 11.00 mm           |
| LED colour              | ca. 3000K warmweiß |
| Lightoutput per fixture | 2900.00 lm         |
| Lightoutput per LED     | 4.14 lm            |
| Lamp                    | Inklusive LED      |






## **VARDaflex Osmium Piko SVQ 3000K - 5M-Rolle LED-Strip, 24V, 13W/m, IP65, 3000K**

Article nr.: 79615

### **TECHNICAL DATA**

|                       |            |
|-----------------------|------------|
| IP rating             | 65         |
| Power                 | 65 W       |
| Current mA            | 2.708 mA   |
| Voltage               | 24 V       |
| Amount of LED         | 700        |
| Material              | Kunststoff |
| Temperature range     | -20 - 45   |
| LED per meter         | 140        |
| Dimension of segments | 50.00 mm   |
| CRI                   | ≥ 90       |
| Lifetime L70B50       | 54.000 h   |
| Lifetime L90B10       | 39.000 h   |





**VARDAflex Osmium Piko SVQ 3000K -  
5M-Rolle LED-Strip, 24V, 13W/m, IP65,  
3000K**

Article nr.: 79615

## TECHNICAL DRAWING

