




VARDAflexDouble - IP68 - 5 M-Rolle


12V Flex.LED im Schlauch, IP68, RGB

Article nr.: 88549

Flexible LED Strips in Silicone Tubing · for Indoor and Outdoor Use · · For Indoor and Outdoor Use · RGB Double 12 Volt: Separable Every 5 cm or 3 LEDs · RGB Double 24 Volt: Separable Every 10 cm or 6 LEDs · RGB 12 Volt: Separable Every 10 cm or 3 LEDs · LED Distance: RGB Double: 16 mm (300 LED) · RGB: 33 mm (150 LED) · Easy Installation with Solder-less Plug Connections. · Maximum Length per Connection: 10 Meter (RGB · Double: 8 Meter). New Connectors for Greater Lengths. · Delivery Contents: 5 Meter Roll, 5 Power Supply Connector, 1 Direct · Connector, 1 Connection Tubing, 30 Mounting · Brackets, 2 End Caps, 2 Power Supply Connector Caps · Sorted and Stored by Binning Code · · SECONDLIFE ITEM -heavily discounted- only while stocks last!

TECHNICAL DATA

Unit Code	pcs
BAR code	4012094885490
Length	5000.00 mm
Width	13.00 mm
Height	4.00 mm
LED colour	RGB
Lightoutput per fixture	1830.00 lm
Lightoutput per LED	6.10 lm
Lamp	including LED
IP rating	68





 Secondlife-Shop


VARDAflexDouble - IP68 - 5 M-Rolle

12V Flex.LED im Schlauch, IP68, RGB

Article nr.: 88549

TECHNICAL DATA

Power	72 W
Psb	0,00 W
Current mA	6000 mA
Voltage	12 V
Amount of LED	300
Material	Kunststoff
Temperature range	-20 - 45
LED per meter	60
Dimension of segments	50.00 mm
Lifetime L70B50	35.000 h
Suitable light source	





 Secondlife-Shop

VARDAflexDouble - IP68 - 5 M-Rolle
12V Flex.LED im Schlauch, IP68, RGB
Article nr.: 88549

TECHNICAL DRAWING

