




VARDAflex COB RGBW(3000K) Sauna Plus-5 Meter Rolle Flex.LEDStrip, 24V, 10, 5W/m, IP67, RGBWW 3000K

Article nr.: 74379

flexible LED Strip with self adhesive backside, · for indoor and outdoor use, IP67 · specially for the sauna area · UV-resistant · can be separated every 83.33 mm or 64 LEDs · number of LEDs: 3840 · LED pitch: 5.21 mm · beam angle: 120° · CRI: >90 · luminous flux per meter: 405 lm · luminous flux 3000K per meter: 150 lm · voltage: 24V DC · power per meter: 10.5 W · lifespan L70B50: >= 30,000 h · energy efficiency class: G · LxWxH in mm: 5,000 x 14.5 x 5.7 · · Temperature range for operation with one colour: -20 to +105° C · Temperature range when operating with two or more colours: -20 to +95° C · Maximum length per connection: 5 meter. New connectors for greater length. · Delivery contents: 5 metre roll with 300 mm connection cable

TECHNICAL DATA

Unit Code	pcs
BAR code	4012094743790
Housing colour	Weiss
Length	5000.00 mm
Width	14.50 mm
Height	5.70 mm
LED colour	RGB+WW 3000K
Lightoutput per fixture	2025.00 lm
Lightoutput per LED	0.53 lm
Lamp	including LED






**VARDaflex COB RGBW(3000K) Sauna
Plus-5 Meter Rolle Flex.LEDStrip, 24V,
10, 5W/m, IP67, RGBWW 3000K**
Article nr.: 74379

TECHNICAL DATA

IP rating	67
Power	55 W
Psb	0,00 W
Current mA	2291 mA
Voltage	24 V
Amount of LED	3840
Temperature range	-20 - 105
LED per meter	768
Dimension of segments	83.33 mm
Energy efficiency class	EEK-Label_G
CRI	≥ 90
Lifetime L70B50	30.000 h
Lifetime L90B10	10.000 h
Suitable light source	





VARDAflex COB RGBW(3000K) Sauna
Plus-5 Meter Rolle Flex.LEDStrip, 24V,
10, 5W/m, IP67, RGBWW 3000K
Article nr.: 74379

TECHNICAL DRAWING

