



VARDAflex Energy - 5M-Rolle


**Flex.LEDStrip, 24V, 4, 4W/m., Innen,
2700K CRI80**

Article nr.: 79467

flexible LED Strip with self adhesive backside, · for indoor use, IP20 · · can be separated every 100 mm or 9 LEDs · number of LEDs: 450 · LED pitch: 11.11 mm · beam angle: 120° · CRI: >80 · lumen per meter: 726 lm · voltage: 24V DC · power per meter: 4.4 W · lifespan L70B50: >= 54,000 h · energy efficiency class: C · LxWxH in mm: 5,000 x 10 x 1.4 · · Maximum length per connection: 5 meter. New connectors for greater length. · Delivery contents: 5 meter roll with 300 mm connection cable

TECHNICAL DATA

Unit Code	pcs
BAR code	4012094794679
Housing colour	Weiss
Length	5000.00 mm
Width	10.00 mm
Height	1.40 mm
LED colour	ca. 2700K ultra warmweiß
Lightoutput per fixture	3630.00 lm
Lightoutput per LED	8.07 lm
Lamp	including LED






VARDAflex Energy - 5M-Rolle

**Flex.LEDStrip, 24V, 4, 4W/m., Innen,
2700K CRI80**

Article nr.: 79467

TECHNICAL DATA

IP rating	20
Power	22 W
Psb	0,00 W
Current mA	916 mA
Voltage	24 V
Amount of LED	450
Temperature range	-20 - 45
LED per meter	90
Dimension of segments	100.00 mm
Energy efficiency class	EEK-Label_C
CRI	≥ 80
Lifetime L70B50	54.000 h
Lifetime L90B10	39.000 h
Suitable light source	





VARDAflex Energy - 5M-Rolle

Flex.LEDStrip, 24V, 4, 4W/m., Innen,
2700K CRI80

Article nr.: 79467

TECHNICAL DRAWING

