rutec Licht GmbH & Co. KG | Carl-Zeiss-Str. 15 | 28857 Syke
TEL +49 (0) 42 42 95 65 - 0 | FAX +49 (0) 42 42 95 65 - 25 | E-MAIL INFO@RUTEC.DE | WWW.RUTEC.DE

VARDAflex Nova Double bronze 5M Flex.LEDStrip, 24V, Innen, 2200K CRI90

Article nr.: 79872

flexible LED Strip with self adhesive backside, · for indoor use. · · can be seperated every 3.33 cm or 6 LEDs · number of LEDs: 900 · LED pitch: 5.56 mm · beam angle: 120° · CRI: >90 · lumen per meter: 1355 lm · voltage: 24V DC · power per meter: 18 W · lifetime L70: >= 36.000 h · LxWxH in mm: 5.000 x 8 x 2 · · Caution: Do not operate strip without aluminium profile · and adequate ventilation · Maximum length per connection: 5 meter. New connectors for greater length. · Delivery contents: 5 meter roll

TECHNICAL DATA

Unit Code	pcs
BAR code	4012094798721
Housing colour	Weiss
Length	5000.00 mm
Width	8.00 mm
Height	1.20 mm
LED colour	ca. 2200K bronze
Lightoutput per fixture	6775.00 lm
Lightoutput per LED	7.52 lm
Lamp	Inklusive LED

rutec Licht GmbH & Co. KG | Carl-Zeiss-Str. 15 | 28857 Syke
TEL +49 (0) 42 42 95 65 - 0 | FAX +49 (0) 42 42 95 65 - 25 | E-MAIL INFO@RUTEC.DE | WWW.RUTEC.DE

VARDAflex Nova Double bronze 5M Flex.LEDStrip, 24V, Innen, 2200K CRI90

Article nr.: 79872

TECHNICAL DATA

IP rating	20
Power	90 W
Current mA	3.750 mA
Voltage	24 V
Amount of LED	900
Temperature range	-20 - 45
LED per meter	180
Dimension of segments	33.33 mm
CRI	≥ 90

rutec Licht GmbH & Co. KG | Carl-Zeiss-Str. 15 | 28857 Syke
TEL +49 (0) 42 42 95 65 - 0 | FAX +49 (0) 42 42 95 65 - 25 | E-MAIL INFO@RUTEC.DE | WWW.RUTEC.DE

VARDAflex Nova Double bronze 5M Flex.LEDStrip, 24V, Innen, 2200K CRI90

Article nr.: 79872

TECHNICAL DRAWING